UNITED STATES DEPARTMENT OF COMMERCE



National Oceanic Atmospheric Administration National Marine Fisheries Service Sustainable Fisheries Division 7600 Sand Point Way N. E., Building. 1, Bin C15700 Seattle, WA 98115-0070

DATE: September 21, 2005

TO: DISTRIBUTION

FROM: F/NWR2 -Becky Renko

SUBJECT: PRELIMINARY Report #11 -- 2005 Pacific Whiting Fishery

This report consolidates preliminary state, federal, and tribal data for the 2005 Pacific whiting fishery (whiting) off Washington, Oregon, and California. Due to concerns about the incidental catch of overfished species, bycatch limits are in place for canary (4.7 mt) and widow rockfish (200 mt) taken in the non-tribal sectors of the fishery. If either bycatch limit is reached, the primary whiting seasons for the non-tribal fisheries will end regardless of the amount of

whiting allocation remaining.

	Allocation		Whiting				Danaant C
	Percentages	Metric Tons	Catch* (mt)	Bycatch	Thr u [date]	Status	Percent of allocation taken
California (south of 42 N lat.)	(5% shore alloc'n; within shore-base allocation)	4,873	3,826			CA season started 4/1, 5% alloc'n	
Oregon		NA	61,318				
Washington		NA	31,927				
Shore-based	42% commercial OY	97,469	97,071	Canary - 2.3 mt Widow- 73.4 mt Chinook- #4023	8/18	started 6/15, ended 8/18 @ 2100	99.6%
Mothership (n. of 42 N. lat.)	24% commercial OY	55,696	37,659	Canary-0.7 mt Widow-35.2 mt Chinook-#2143	9/20	started 5/15	67.6%
Catcher/processor (n. of 42 N. lat.)	34% commercial OY	78,903	63,478	Canary-0.3 mt Widow-41.4 mt Chinook-#1750	9/20	started 5/15	80.5%
Total nontribal	commercial OY	232,069	198,208	Canary - 3.3mt Widow- 150.0 mt Chinook-#7916			85.4%
Tribal (Makah)		35,000	32,097	Canary - 0.6 mt Widow-1.9 mt Chinook-#3923	9/6	started 5/1	91.7%
Total directed fishing		267,069	230,305	Canary - 3.9 mt Widow-151.5 mt Chinook-#11839			86.2%
Other (research & incidential catch in non-groundfish fisheries)		2,000	unknown at this time				
Total	OY=optimum yield	269,069	230,305				

^{*} Catch includes discards from at-sea processors; weigh-backs from shore-based catcher vessels; and small amounts landed under the trip limit prior to the season. The data for at-sea processing sectors are based on preliminary NMFS observer data. Data for shore-based processors are provided by the States. Data for the at-sea processing portion of the Makah fishery are based on preliminary NMFS observers data and shore-based catch was provided by tribal samplers. All weights are in metric ton (2,204.6 pounds).